



LOC	QTY	REVISIONS			
AA	00	REV	DESCRIPTION	DATE	BY
		C	ECO-09-028080	210C2009	LAM EW



2-1926733-5 SHOWN




- HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
 SIGNAL CONTACT: PHOSPHOR BRONZE
 SIGNAL OVERMOLD: GLASS FILLED POLYESTER
 POWER CONTACT: COPPER ALLOY
 - SIGNAL CONTACT: 0.00127mm MIN NICKEL ALL OVER,
 MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
 0.00076mm MIN PALLADIUM-NICKEL
 TAIL AREA: 0.0005mm MIN BRIGHT TIN-LEAD
 POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
 MATING AREA: 0.00076mm MIN GOLD OR
 0.00008mm MIN GOLD OVER 0.00076mm MIN PALLADIUM-NICKEL,
 TAIL AREA: 0.0005mm MIN BRIGHT TIN-LEAD
 - CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
 TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
 - THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS
- △ DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER
- △ PC BOARD THICKNESS 1.4mm MIN, FOR WAVE SOLDER PC BOARD THICKNESS 2.62 MAX
- △ SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
8. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR
- △ UNPLATED HOLES
- △ #4-40 UNC PAN HEAD SCREW WITH HEX NUT, NOT SHOWN, SUPPLIED BY CUSTOMER

144	40	23	7	92.44	96.24	40S X 24P	7-1926733-7
48	25	7	4	42.44	46.24	25S X 8P	1-1926733-8
96	25	15	4	64.44	68.24	25S X 16P	4-1926733-6
60	25	9	4	47.94	51.74	25S X 10P	2-1926733-5
48	20	7	3	40.44	44.24	20S X 8P	1-1926733-1
72	25	11	4	51.44	57.24	25S X 12P	1926733-9
F	E	D	C	DIM B	DIM A	NO OF POSITIONS	PART NUMBER
PLC	PLC	SPACES	SPACES				

DIMENSIONS		DESIGNER'S NOTES		DWN		TYCO ELECTRONICS	
mm		APPROVED SPECIFIED:		P BRANDBERG 21NOV07		Tyco Electronics Harrisburg, PA 17103-3608	
		1 PLC #: 2 PLC #0.13 3 PLC #: 4 PLC #: ANGLE #: FINISH #: SEE NOTE 1 SEE NOTE 2		M REISER 21NOV07 M REISER 21NOV07 M REISER 21NOV07 108-2325 114-13215 WEIGHT - CUSTOMER DRAWING		NAME RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL SIZE CODE CODE DRAWING NO A 00779 1926733 SCALE 2:1 SHEET 1 OF 3 REV C	


LOC	QTY	REV	DATE	BY	CHKD
AA	00				

REVISIONS		DATE	BY	CHKD
1	SEE SHEET 1	-	-	-



THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.		DWN P BRANDBERG	ZONOV07	Tyco Electronics Harrisburg, PA 17103-3608
DIMENSIONS mm		CHN M REISER	Z1NOV07	Tyco Electronics
DIMENSIONS mm		INVENTOR M REISER	Z1NOV07	NAME RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL
DIMENSIONS mm		CHECKED M REISER	Z1NOV07	SIZE A 00779
DIMENSIONS mm		PRODUCT SPEC 108-2325	APPLICATION SPEC 114-13215	DRAWING NO 1926733
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2	WEIGHT -	RESTRICTED TO -
CUSTOMER DRAWING		SCALE 2:1		SHEET 2 OF 3 REV C

LOC	QTY	REV	DESCRIPTION	DATE	BY	CHKD
AA	00		SEE SHEET 1	-	-	-



2-1926733-5 SHOWN
RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT
 (AS VIEWED FROM COMPONENT SIDE)
 SCALE 6:1

THIS DRAWING IS UNPUBLISHED RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.		DWG P BRANDBERG 21NOV07	ZONOV07 21NOV07	Tyco Electronics Harrisburg, PA 17103-3608
DIMENSIONS mm		CHG M REISER 21NOV07	NAME M REISER 21NOV07	RECEPTACLE ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH SCREW MOUNT, MINIPAK HDL
DIMENSIONS mm		DIMENSIONS mm	DIMENSIONS mm	DIMENSIONS mm
MATERIAL SEE NOTE 1		DIMENSIONS mm	DIMENSIONS mm	DIMENSIONS mm
NOTE 1		NOTE 2	CUSTOMER DRAWING	SCALE 2:1 SHEET 3 OF 3 REV C